National Testing Laboratories, Ltd
1-800-H2O-TEST / 800-458-3330
www.ntllabs.com / www.watercheck.com
email: ntlsales@ntllabs.com

Radon Water Test

Sampling Instructions

Please read all of the instructions before starting.

1 - See Contents


The water radon test kit consists of a sample bottle, and a sample information sheet, which is on the reverse of this instruction form, and a pre-addressed mailing label.



2 - Fill Samples

Samples must be shipped the same day they are collected via guaranteed next day delivery and must be collected after 1:00 p.m. EST to minimize time in transit. Do not collect and/ or ship your samples on a Friday, Saturday, Sunday, or the day before a National Holiday.

The bottle should be filled with water from a tap connected to the supply being tested. Remove any aerators or sprinkler heads from the tap outlet. Water, which has been sitting in pipes and well storage tanks, can have a significantly lower radon gas content than the water in the well. Before filling the bottle, the water should be left running for at least ten minutes to empty the storage tank, thereby insuring that fresh water is collected.



Open the tap and fill the bottle gently, avoiding agitation as much as possible. Agitating the water speeds the release of radon gas. Fill the bottle completely full to overflowing, so that there is no air left in the top (no "head space"). Screw the cap on tightly. Check to make sure that there is no air or air bubbles in the bottle.



If there is any air in the sample bottle then it should be emptied and flushed out and a fresh sample collected. Care should be taken to avoid any contamination of the sample with dirt, or anything other than fresh tap water.

3A - Complete Lab Form

Complete the enclosed lab form, making sure to indicate the collection date and time you sampled, type of water, and sample identification (e.g. kitchen sink, well head,etc.) Return the blue ice pack to the kit and place the kit back in the cardboard box with the completed lab form.



3B - Ship Kit

Make arrangements to ship the kit by guaranteed next day delivery [or drop the kit off at our laboratory within 24 hours of collection, Monday to Friday, 8:30 am to 5:00 pm] to the following address:

National Testing Laboratories
556 South Mansfield Street
Ypsilanti, MI 48197

If we do not receive your sample within 24 hours of sample collection or if you have not provided the date and time of collection, the bacteria results will be marked INVALID!

Save Money on Overnight Shipping!

Take advantage of drastically reduced overnight shipping rates by purchasing United Parcel Service labels from National Testing Laboratories.

Call for details at:
800-458-3330.

NOTE: Testing & reporting takes approximately 5-10 business days. Heavily contaminated samples may take longer to process. Turnaround time can vary due to laboratory volume. Results will be emailed upon completion.

-

The lab reserves the right to reject water samples that appear to be excessively contaminated as they may cause potential damage to laboratory equipment.